त्रिभुवन विश्वविद्यालय



शिक्षण अस्पताल

तार-दुथमेड महाराजगञ्ज काठमाडौँ, नेपाल ।

पत्र संख्या :-



मिति :.....२०८२।०२।२७

सूचना

यस त्रि.वि.शिक्षण अस्पतालको हिस्टोप्याथोलोजी विभागको लागि बायोप्सी टिस्यु ब्लक र स्लाइडको आवश्यक परेको हुँदा उक्त कार्य गर्न इच्छुक सम्बन्धित विषयमा इजाजत प्राप्त आ.व.२०५१/०५२ को लागि अस्पतालमा सूचीकृत वा अन्य व्यक्ति, फर्म तथा सप्लायर्सहरुले फर्म दर्ता, VAT दर्ता र पछिल्लो आ.व.को कर चुक्ता गरेको प्रमाणपत्रको प्रतिलिपि सहित अस्पतालको Website र सूचना पाटीमा यो सूचना प्रकाशित भएको मितिले ७ (सात) दिन भित्र सिलबन्दी दरभाउपत्र सामान्य प्रशासन शाखा 'ख' मा पेश गर्नु हुन सम्बन्धित सबैको लागि जानकारी गराईन्छ । साथै BOQ (Bill of quantity) र Technical Specification यसै साथ संलग्न गरिएको छ ।

शोभा घिमिरे

प्रमुख

सामान्य प्रशासन शाखा 'ख'

Sealed Quotation of Vertical Slide Storage Cabinet & Block Storage Cabinet 2081/082 TU Teaching Hospital, Maharajgunj

S	Description of Work	Qtv	Unit Un	Unit/Rate	Amount in word	Total Amount
-	Block Stroage Cabinet: Dimensions: 520mm L x 480mm W x 490mm H, Construction - Cold rolled steel with power coated finish, Storage Capacity- 4000 blocks ISO, CE and USFDA Listed product.	Set	-			
7	Vertical Slide Stroage Cabinet: Dimensions: 400 mm x 488 mm x 130 mm, Construction - Cold rolled steel with power coated finish, Stackable-Yes, Storage Capacity- 5000 slides ISO, CE and USFDA Listed product.	Set	1			

कूल कबोल रकम भ्याट बाहेक अक्षरमाः

प्रोपाइटरको नाम :

फर्मको नाम :

हस्ताक्षर :

ठेगाना :

सम्मकं नं.

इमेल .

कूल कबोल रकम भ्याट सहित अक्षरमाः

मित.

भू के किया विश्व विष्य विश्व विश्व विश्व विश्व विश्व विश्व विश्व विश्व विश्व विश्व

इब्राप :

Technical Specification of Block Storage Cabinet

S.N.	Purchaser's Specifications	Bidder's Offer	
	Block Storage Cabinet	Yes/No	Remarks
	Manufacturer		
	Brand		English Roman Inc.
	Type / Model		100 00 00000000000000000000000000000000
	Country of Origin	-	
1	Description of Function		
1.1	Block storage cabinet used for organized, safe, and long-term storage of paraffin-embedded tissue blocks in pathology and histopathology laboratories.		
2	Operational Requirements		
2.1	Floor standing block storage cabinet.	Name and the second	
3	System Configuration		
3.1	Block Storage Cabinet		
4	Technical Specifications		
4.1	Should be made up of good quality cold rolled steel with powder coating finish.		
4.2	Dimensions approx.: 520mm x 480mm x 490mm		
4.3	Should have minimum 7 drawers with capacity to hold minimum 4000 blocks.		
4.4	Handle must be provided for each drawer.		
4.5	An index card holder must be provided for easy classification.		
4.6	Cabinet must be provided with lock and Key.	Toward M	
5	Accessories, spares and consumables		ue v
5.1	All standard accessories, consumables and parts required to operate the equipment, including all standard tools and cleaning and lubrication materials, to be included in the offer. Bidders must specify the quantity of every item included in their offer (including items not specified above).		
6	Operating Environment		
6.1	The product offered shall be designed to be stored and to operate normally under the conditions of the purchaser's country. The conditions include Climate, Temperature, Humidity, etc.		
7	Standards and Safety Requirements		
7.1	Must submit ISO 9001 or ISO 13485:2003/AC:2007		
7.2	CE and USFDA listed product certificate.		
8	Warranty		
8.1	Warranty for 2 years after acceptance.		
9	Documentation	11271	man ni da damananin
9.1	User's manual should be in English.		





Technical Specification of Slide Storage Cabinet

S.N.	Purchaser's Specifications	Bidder's Offer		
	Slide Storage Cabinet	Yes/No	Remarks	
	Manufacturer		x D Total	
	Brand			
	Type / Model		La an ana	
	Country of Origin			
1	Description of Function			
1.1	Slide storage cabinet used for organized, safe, and long-term		-	
	storage of microscope slides in pathology and histopathology		1	
	laboratories.			
2	Operational Requirements			
2.1	Modular Floor standing slide storage cabinet.	(G) (S) (S)		
3	System Configuration		The second secon	
3.1	Modular Slide Storage Cabinet			
4	Technical Specifications			
4.1	Should be made up of good quality cold rolled steel with powder coating finish.			
4.2	Dimensions approx.: 400 mm x 488 mm x 130 mm			
4.3	The cabinet must be able to hold large quantity of slides in less space.			
4.4	Shall have minimum 6 drawers with capacity to hold minimum 5000 Slides.			
4.5	An index card holder must be provided for easy classification.	Reference of the control of the cont		
4.6	Cabinet must be provided with lock and Key.			
4.7	Handle must be provided for each drawer.	1,000		
4.6	The cabinet must be stackable.			
5	Accessories, spares and consumables			
5.1	All standard accessories, consumables and parts required to operate the equipment, including all standard tools and cleaning and lubrication materials, to be included in the offer. Bidders must specify the quantity of every item included in their offer (including items not specified above).			
6	Operating Environment			
6.1	The product offered shall be designed to be stored and to operate normally under the conditions of the purchaser's country. The conditions include Climate, Temperature, Humidity, etc.			
7	Standards and Safety Requirements			
7.1	Must submit ISO 9001 or ISO 13485:2003/AC:2007			
7.2	CE and USFDA listed product certificate.			
8	Warranty			
8.1	Warranty for 2 years after acceptance.			
9	Documentation			
9.1	User's manual shall be supplied in English.			



