



त्रिभुवन विश्वविद्यालय

शिक्षण अस्पताल



तार-टुथमेड
महाराजगञ्ज
काठमाडौं, नेपाल।

पत्र संख्या :-

मिति :

२०८३।०७।१०

यस त्रि.वि.शिक्षण अस्पतालको Blood Bank को लागी -30°C Plasma F freezer खरिद गर्नुपर्ने भएको हुँदा उक्त उपकरण आपूर्ति गर्न इच्छुक इजाजत प्राप्त सप्लायर्स कम्पनी फर्महरुले यो सूचना प्रकाशित भएको मितिले सात दिन भित्र आवश्यक सम्पूर्ण कागजात सहित शिलबन्दी कोटेशन यस अस्पतालको सामान्य प्रशासन शाखा "क" मा पेश गर्नुहुन सूचित गरिन्छ। मूल्य र प्राविधिक विवरण फारम पनि यसैसाथ संलग्न गरिएको छ। थप जानकारीको लागी सामान्य प्रशासन शाखा 'क' मा सम्पर्क गर्न सकिनेछ।

.....
सरस्वती गुरुङ्ग
प्रमुख
सामान्य प्रशासन क

Prakash



1. Price Schedule -30°C Blood bank freezer

1	2	3	4	5	6	7	8
Item	Description	Unit	Quantity	Unit price (Site Delivery)	Total price in figure (cols. 4 x 5)	Total price in words	Remarks
1	-30°C Blood bank freezer	Set	One				
				Total Amount			
				Add 13% Value Added Tax			
				Total Including VAT			

Total Price (in words)

Signature and Stamp of Bidder _____

Note: In case of discrepancy between unit price and total, the unit price shall prevail

2. Schedule of Requirements

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the final destination where the Goods is required to be delivered.

No.	Description	Quantity	Place of Delivery	Delivery schedule days/weeks/months from date of Purchase Order
	-30°C Blood bank freezer	1 (One) Set	TUTH, Maharajgunj, Ktm.	Seven -Twelve Days

Technical specification Blood Bank Plasma Freezer.

	Name of Bidder				
	Brand				
	Model No				
	Country of Origin				
	Address of Bidder				
	Specifications	Requirement	Complied/Not complied	Remarks	Page No
1	Equipment	Blood Bank Plasma Freezer.			.

Prakash



2	Application	For the storage of Plasma (FFP), blood components and temperature sensitive lab materials.			
3	Cooling performance	Lower to -30°C or better			
4	Temperature Stability	≥ 3°C or better.			
5	Temperature uniformity	≥ 3°C or better.			
6	Capacity	500 liters or more			
7	Compressor	Heavy-duty hermetically sealed compressor			
8	Refrigerant	CFC – free environmentally friendly refrigerant.			
9	Inner Chamber	Stainless steel or corrosion resistant materials.			
10	Outer Cabinet	Powder coated stainless steel.			
11	Door	Insulated solid door with magnetic gasket.			
12	Door Lock	Lockable door with key or equivalent security system.			
13	Door alarm	Audible and visual door –open alarm.			
14	Temperature alarm	High and Low temperature alarms			
15	Other alarm	Power failure, sensor failure and system fault alarm.			
16	Data logging	Built in temperature data logger.			
17	Shelves/Racks	Adjustable corrosion resistant storage rack.			
18	Defrost System	Manual defrost system.			
19	Power supply	220-240 V AC, 50Hz.			
20	Calibration	Calibration certificate traceable to recognized standards.			
21	Standard Requirement	CE approved product certificate.			
22	User Training	Must provide user and application training for operational, safe use, day to day routine checkup.			
23	Warranty	Complete comprehensive warranty for 1 years.			